

CZECHOSLOVAKIA / POLAND

BUKOWCZYK, A.; KRAUSE, K.; WASIK, A.; Psychiatric Clinic (Klinika Psychiatryczna), Wroclaw.

"Changes in the Tolerance of Neuroleptic Drugs as a Function of the Phase of Psychosis."

Prague, Activitas Nervosa Superior, Vol 8, No 4, Nov 66, p 401

Abstract : There are two autonomic phases in the course of psychoses associated with psychomotor excitation. The effect of neuroleptics is apparent only in the parasympathetic phase. Drugs which correct the autonomic balance and promote the appearance of the parasympathetic phase seem to be very useful in the treatment of schizophrenics. Treatment of 15 patients with neuroleptics combined with scopolamines and barbiturates is discussed. 7 Western, 1 Hungarian reference. Submitted at the 8th Annual Psychopharmacological Meeting at Jesenik, 18 - 22 Jan 66. Article is in English.  
1/1

70

78

KIERSNICKA, Irena; WASIK, Feliks

Problems of late conjugal syphilis. Przegl. dermat., Warsz. 8 no.4:429-433 July-Aug 58.

1. Z Kliniki Dermatologicznej A. M. we Wrocławiu Kierownik: prof. dr H. Mierzecki Z Ośrodka Konsultacyjnego Woj. Por. Sk. Wen. we Wrocławiu Konsultant: prof. dr H. Mierzecki. Adres: Wrocław, klinika Dermatologiczna A. M., Chalubinskiego 1.

(SYPHILIS, CARDIOVASCULAR  
advanced conjugal syphilis, statist. (Pol))

(NEUROSYPHILIS  
same)

WASIK, Feliks; KIERSNICKA, Irena

Remote results of the treatment of early syphilis with penicillin and arsenic-bismuth compounds. Polski tygod. lek. 16 no.44:1692-1694 30 0 '61.

1. Z Kliniki Dermatologicznej A.M. we Wrocławiu; kierownik: prof. dr H. Mierzecki i z Wojewódzkiej Przychodni Skorno-Wenerologicznej we Wrocławiu; dyrektor: lek. Z. Lusapinski.  
(BISMUTH ARSENIC COMPOUNDS ther) (SYPHILIS ther)

WASIK, Feliks; WASIK, Renata.

Uroprecipitin reactions in some skin diseases. Przegl. dermat. 48  
no.6:509-516 '61.

1. Z Kliniki Dermatologicznej AM we Wrocławiu Kierownik: prof.  
dr H.Mierzecki Z I Kliniki Pediatrycznej AM we Wrocławiu Kierownik:  
prof. dr H.Hirszfeldowa.  
(PRECIPITINS) (DERMATOLOGY diag)

BIRECKA, Irena; WASIK, Feliks

The problem of atrophic mucosynechial bullous dermatitis of Lortat and Jacob in the light of our observations. Przegl. dermat. 49 no.3: 207-217 '62.

1. Z Kliniki Dermatologicznej AM we Wrocławiu. Kierownik: prof. dr H. Mierzecki.

(PEMPHIGUS)

LITWINSKI, Tadeusz; WASIK, Feliks

Apropos of the Sulzberger-Gabre disease, exudative discoid and lichenoid chronic dermatosis. Przegl. dermat. 51 no.1:39-46  
Ja-F '64

1. Z Kliniki Dermatologicznej Akademii Medycznej we Wrocławiu  
(Kierownik doc. dr. J. Rubicz).

WASIK, J.

WALSK, J. Organization of the central carpentry shops. p. 319.

Vol. 6, No. 11, Nov. 1955.

PRZEMYSŁ DRZEWNY.

TECHNOLOGY

Warszawa, Poland

So: East European Accession, Vol. 5, No. 5, May 1956



WASIK, J.

EXCERPTA MEDICA Sec.9 Vol.12/4 Surgery April 1958

2101. REHABILITATION OF PATIENTS WITH SPINAL CORD INJURIES. A CRITICAL REVIEW OF METHODS AND RESULTS - Usprawnianie leczenia w urazowych uszkodzeniach rdzenia kręgowego. Krytyczne omówienie metod i uzyskanych wyników na podstawie spostrzeżeń z materiału własnego - Daab J., Wasik J. and Dobosiewicz K. Z Wojewódzk. Szpit. Chir. Urazowej, Piekary Śląskie - CHIR. NARZAD. RUCHU 1957, 22/3 (359-368) Tables 4 Illus. 8

A brief statistical review of material is followed by analysis of subjects with complete paraplegia or severe paresis. Good results obtained in rehabilitation of patients with mild injuries or with injuries showing rapid disappearance of neurological symptoms might be ascribed to spontaneous improvement rather than to the treatment. Methods of rehabilitation used in the hospital are described. Stress is laid on early mobilization of the patient. After leaving the surgical ward the patient is admitted to the Rehabilitation Department. Objectives of rehabilitation, exercises, equipment employed and principles of evaluation of progress are dealt with.

(IX, 8\*)



MAAB, Janusz; ELWART, Wacław; NOWAK, Ryszard; WASIK, Józef

Surgical treatment by means of osteotomy of the trochanteric region in neglected fractures of the femoral neck in old age.  
Chir.narz.ruchu ortop.polska 25 no.1:37-41 '60.

1. Ze Szpitala Chirurgii Urazowej w Piekarach Slaskich. Dyrektor  
i Kierownik Naukowy: dr. W. Sowinski  
(FEMUR NECK fract.& disloc.)

LIPINSKA, Teresa; WASIK, Jozef

Bosworth's method in surgical therapy of torn medical collateral ligament of the knee. Chir. narz. ruchu ortop. polska 27 no.2: 137-141 '62.

1. Z Wojwodzkiego Szpitala Chirurgii Urazowej w Piekarach Sl.  
Dyrektor i Kierownik naukowy: dr W. Sowinski.  
(KNEE wds & irj.)

SOBOCINSKI, Jozef, inż.; WASIAK, Marek

Electromechanical filter units for high and low bands. Prace  
inst teletechn 8 no.3:109-112 '64.

1. Submitted June 1964.

HIRSZFELDOWA, H.; BLOCHOWNA, B.; COZIOROWSKI, Cz.; SASSOWA, J.; WASIK, R.

The uroprecipitation test. Polski tygod.lek. 15 no.33:1257-1260;  
15 Ag '60.

1. Z I Kliniki Pediatricznej A.M. we Wroclawiu; kierownik: prof.  
dr med. H.Hirszfeldowa  
(RHEUMATIC FEVER diag.)  
(PRECIPITINS)

HIRSZFELDOWA, Hanna; BLOCHOWNA, Boguslawa; KOZIOROWSKI, Czeslaw; SASSOWA,  
Janina; WASIK, Renata---

Studies on the nature of urogen. Polski tygod. lek. 16 no.11:381-383  
13 Mr '61.

1. Z I Kliniki Pediatricznej A.M. we Wroclawiu; kierownik: prof. dr  
med. H. Hirszfeldowa.

(POLYSACCHARIDES urine) (RHEUMATISM urine)

WASIK, Feliks; WASIK, Renata

Uroprecipitin reactions in some skin diseases. Przegl. dermat. 48  
no.6:509-516 '61.

1. Z Kliniki Dermatologicznej AM we Wrocławiu Kierownik: prof.  
dr H.Mierzecki Z I Kliniki Pediatrycznej AM we Wrocławiu Kierownik:  
prof. dr H.Hirszfeldowa.  
(PRECIPITINS) (DERMATOLOGY diag)

~~WASIK~~ Zenon, mgr inż. (Łódź)

Research stand for tube combustion chambers. Ciepłota przepływu no. 43/44:69-7) '63.



P/0000/62/000/000/0175/0190

ACCESSION NR: AT4025432

AUTHOR: Wasik, Zenon (Master engineer)

TITLE: Method for the experimental determination of the effect of the blade profile shape upon steam turbine efficiency under actual working conditions

SOURCE: Konferencja "Technika Pomiarowa w Ciepłych Maszynach Przepływowych" (Conference on "Measurement technique in thermal flow machines"). Lodz, 1962, 175-190

TOPIC TAGS: turbine, steam turbine, turbine blading, blade profile, steam turbine efficiency, turbine indicated efficiency, turbine internal efficiency

ABSTRACT: Differentiations of the single blade ring's indicated efficiency and determination of the effect of new blade profile types on the efficiency of the entire turbine as well as of a change in the swallowing capacity and steam expansion characteristics require a reduction in the measurement error to below one percent. In connection with this, author attempted to develop a suitable methodology of measurement in conjunction with the use of typical instruments and measuring devices. Experiments were carried out on the TP2  
Card 1/5

ACCESSION NR: AT402542

turbine, which is a simplex, impulse-type, counter-pressure turbine. Two types of tests were carried out. One of these was with a rotor containing the old-type blading with sharp entrance edges, while the other was with the new type blading with rounded edges. Selection of measuring method was based on error theory. The indicated efficiency of counter-pressure turbine can be determined from the relationship

$$\eta_i = \frac{860 N_{el}}{G_0 (i_0 - i_{0s}) \eta_m \eta_g}$$

where  $N_{el}$  is the electric power;  $G_0$  is the weight rate of flow;  $i_0$  is the incoming steam enthalpy;  $i_{0s}$  is the enthalpy during isentropic steam expansion in an ideal turbine;  $\eta_m$  is the turbine unit's mechanical efficiency and  $\eta_g$  is the generator efficiency. By applying the error theory, the error of the measured quantity determined by equation (1) can be predicted by calculating the relative measurement error for the discrete values entering into the measurement aggregate. Then the average absolute error of measurement of the indicated efficiency will be determined by

Card 2/5

L 28752-64

ACCESSION NR: AT4025432

$$\Delta \eta = \pm \sqrt{\left(\left|\frac{\partial \eta}{\partial N_a}\right| \Delta N_a\right)^2 + \left(\left|\frac{\partial \eta}{\partial G_a}\right| \Delta G_a\right)^2 + \left(\left|\frac{\partial \eta}{\partial L_a}\right| \Delta L_a\right)^2 + \left(\left|\frac{\partial \eta}{\partial L_m}\right| \Delta L_m\right)^2 + \left(\left|\frac{\partial \eta}{\partial L_n}\right| \Delta L_n\right)^2}$$

and the average relative error by

$$\delta \eta = \frac{\Delta \eta}{\eta}$$

A detailed analysis of the measuring technique, carried out on the basis of the turbine's energy balance, led to the following expression for the turbine's efficiency

$$\eta = \frac{G_a^* (L_a^* - L_a) + G_{at} (L_a - L_{at}) - G_{atn} (L_a - L_{atn})}{G_a^* (L_a^* - L_{atn})}$$

The measurement error of the flow rate through the turbine (normally the largest in measurements) was eliminated entirely, and the unsteady measurement

Card 3/5

L 28752-64

ACCESSION NR: AT4025432

of the electric power became negligible. A special probe was used inside the turbine chamber to measure the steam parameters. It was made of 5 chromel-alumel thermocouples with uncovered thermojunctions. A control pressure gauge was connected to the probe through the cooling ring. The thermocouple wires were insulated within the probe by glass insulators and the wires were brought to the outside through a special sealing head. The steam parameters in the power plant fluctuated within the limits 22 to 25.2 atm and 395 to 415°C. Results showed that rise in efficiency with use of new type blading of about 1.6 to 2.2% was not confirmed. The flowthrough unit of the TP2 turbine is better with the old-type rotor rather than with the new one. In the case of isentropic head losses down to 35 kcal/kg, which correspond to weight rate of flow of about 22 tons/hour, the turbine with the new type blading has an efficiency higher by 0-5% than the old-type turbine. Above 22 tons/hour, it is inversely lower within the limits 0.2-5%. The findings and data obtained from these tests will be used for further studies on an experimental air turbine. Orig. art. has: 10 figures, 3 tables and 5 equations.

ASSOCIATION: Instytut Techniki Ciepłej, Zakład Turbin Ciepłych, Łódź  
(Heat Engineering Institute, Department of Heat Turbines)

Card 4/5

L 28752-64

ACCESSION NR: AT4025432

SUBMITTED: 0000062

DATE ACQ: 09Apr64

ENCL: 00

SUB CODE: IE, MD

NO RES SOV: 000

OTHER: 000

Card 5/5

WASIKOWA, Renata, WIKOMIRSKA-KAJETANOWICZ, Jadwiga

4 cases of acquired hemolytic anemia of infectious etiology with different clinical courses. *Pediat pol* 36 no.9:967-975 S '61.

1. Z I Kliniki Chorob Dzieci AM we Wroclawiu Kierownik: prof. dr med.  
H. Hirszfeldowa.

(ANEMIA HEMOLYTIC etiol)

JUZWA, Witold; WASIKOWA, Renata; ZALEWSKA-JUZWA, Alicja; ZIOLKOWSKA, Bozena;  
PARADOWSKI, Andrzej

Effect of bean diet on the ammonia, urea and electrolyte level  
of the blood and urine in healthy children. *Pediat. Pol.* 40 no.7:  
691-699 J1 '65.

1. Z Zakladu Fizjologii AM we Wroclawiu (Kierownik: prof. dr.  
A. Klisiecki) i z I Kliniki Pediatrycznej AM we Wroclawiu  
(Kierownik: prof. dr. med. T. Nowakowski).



Polish abstract  
No. 1, 1953  
Mechanics, electro-technics  
& power

WASILENKO, E.

1612

621.317.753:621.5.631

Wasielenko E. Compensation of Errors of the Schering Bridge.  
"Przegląd Elektrotechniczny". No. 4, 1952, pp. 150-153, 5 figs., 2 tabs.

This article deals with a method of improving the accuracy of measurement by means of the common Schering bridge. The method is non-  
turbulent in the introduction of a correction for errors due to earth ca-  
pacitances  $C_{11}$  and  $C_{12}$ , computed in accordance with the formula:  
 $\Delta \lg Z_1 = \omega R_1 C_{11} - \omega R_2 C_{12}$ . In the example quoted for operating  
the method the correction is of the order of  $10^{-4}$ ...  $10^{-5}\%$ .  
Errors due to time constants of resistances  $R_1$  and  $R_2$  can be disregarded  
for resistances of a few hundred ohms. This method of corrections makes  
possible the determination of small loss factors (e.g.  $\delta = 0.01\%$ )  
within a tolerance range of a few per cent.

WASILENKO, E.

621.314.22 (621.317.333.4)  
 4067. Preventive tests on instrument transformers.  
 E. WASILENKO, *Przeglad elektrotech.*, 31, No. 2-3,  
 266-73 (1955) In Polish.

The author reviews different methods of detection of moisture and inception voltage of internal discharges in transformer insulation. The capacitances and  $\tan \delta$  are defined. The tests on twelve 20 kV voltage and current transformers are tabulated. The tests consisted of (1) capacitance and  $\tan \delta$  as a function of voltage; (2) coefficient of absorption as a ratio of resistances at 5 kV d.c. after 15 and 60 sec; (3) dielectric strength and  $\tan \delta$  of oil; (4) one-minute test at 48 and 64 kV. The tests are discussed and some of the important conclusions are: (a) the characteristics of  $\tan \delta$  and capacitance as a function of voltage (0.25-1.5 kV) are very important and give a basis for deciding the quality of insulation, (b) the value of  $\tan \delta$  must not exceed 15-20%, (c) the curve  $\tan \delta = f(t)$  gives only a general indication of internal discharges, (d)  $\tan \delta$  and capacitance as a function of time are good indicators of moisture content, (e) good quality of oil does not always mean good solid insulation, (f) the detection of moisture is better done by  $\tan \delta$  than by resistance comparison, (g) the permissible amount of moisture depends on the type of transformer.

M. W. MAKOWSKI

Wasilenko E.

2480. NEW TUBULAR KLYDONOGRAPHS. 1. 621.217.726  
 9.8.57 and E. Wasilenko.  
 Arch. elektrotach. (Warsaw), Vol. 6, No. 1, 61-64 (1957). In Polish,  
 with summaries (1 p.) in Russian and (1 p.) in English.  
 These consist of glass tube with two electrodes, one on each  
 side of the tube wall, placed in a weatherproof housing; the photo-  
 graphic film being wrapped round the tube. The short-tube klydonog-  
 graph has a voltage range of 4-25 kV and is suitable for measuring  
 the maximum current steepness of between 0.4-50 kA/μsec when  
 used in conjunction with a suitable inductance coil, while the long-  
 tube klydonograph is intended for the measurement of surge voltages  
 of the order of 2 kV; both instruments being designed for use without  
 a potential divider. The impulse-voltage calibration of the short-  
 tube klydonograph is described and the calibration curves and cata-  
 logue are given. The probable accuracy of voltage estimation with  
 this instrument is determined as ±30%. E. M. Dombinski

3

new

WASILENKO, E.

"Lighting conductors" by L.V. Rihanek. Reviewed by E. Wasilenko.  
Przegl elektrotechn 39 no.4:167 Ap '63.

SZPOR, Stanislaw; WASILENKO, Eugeniusz; SAMULA, Jan; DYTROWSKI, Edmund;  
SUCHOCKI, Jerzy; ZABOROWSKI, Bohdan.

Results of lightning recording in Poland. Przegl elektrotech  
40 no.3:117-121 Mr'64

1. Zaklad Wysokich Napiec, Politechnika, Gdansk.

WASTLEV, W. [Vesilev, V.]

Age variation in the interspaces between the disks of the neck region. Doklady BAN 17 no.5:511-514 '64

1. Lehrstuhl für Anatomie am Medizinischen Institut Sofia. Vorgelegt von D.Kadanoff [Kadanov, D.], Corr.-Mitglied der Akademie.

WASILEW, W.

Senile changes in the cervical intervertebral disks. Dokl. Bolg.  
akad. nauk 17 no.5:511-514 '64.

1. Vorgelegt von D. Kadanoff, korr. Mitglied der Akademie.



WASILEW, W.

Biomechanical investigating of the cervical vertebrae. Dozl.  
Bolg. akad. nauk 17 no.6:593-596 '64.

1. Vorgelegt von D. Kadanoff, korr. Mitglied der Akademie.

POPOFF, N.; WASILEWA, A.

Cases of immunothrombocytopenia in children. *Pediat. polska* 34 no.8:  
1077-1084 Aug 59.

1. Z II Miejskiego Szpitala dla Dzieci w Sofii Kierownik: dr med. P.  
Bielopitoff.

(THROMBOPENIA, in inf. & child)

WASILEWICZ, J.

Gospodarka Zbozowa - Vol. 6, no. 4, Apr. 1955.  
For expansion of the activities of trade-unions. p. 1.

Technical equipment of a grain elevator. p. 17.

SO: Monthly list of East European Accessions, (EEAL), LC, Vol. 4, No. 9, Sept. 1955  
Uncl.

WASILEWSKA, Alina

Serum level of pyruvic acid after the administration of some hypoglycemic drugs. Pol. tyg. lek. 20 no.27:1013-1014 5 J1 '65.

1. Z II Kliniki Chorob Wewnętrznych AM w Białymstoku (Kierownik: prof. dr. Jakub Chlebowski).

WASILEWSKA, Alina; ZABLOCKA, Irena

A case of agranulocytosis after pyrimidon administration. Polski tygod. lek. 14 no.19:865-867 11 May 59.

1. Z II Klin. Chor. Wewn. AM im J. Marchlewskiego w Gialymstoku;  
kierownik: prof. dr J. Chlebowski. Adres: Bialystok, II Klin. Chor.  
Wewn. A. M.

(AMINOPYRINE, inj. eff.

agranulocytosis, case report (Pol))

(AGRANULOCYTOSIS, etiol. & pathogen.

aminopyrine, case report (Pol))

CHLEBOWSKI, Jakub; ROSTAFINSKA, Jadwiga; WASILEWSKA, Alina

Atypical diabetic coma. 2 case reports. Wlad. lek. 18 no.5:  
425-427 1 Mr '65

1. Z II Kliniki Chorob Wewnetrznych, AME (Kierownik: prof. dr.  
J. Chlebowski).

TETER, Jerzy; WASILEWSKA, Barbara; STERNADEL, Zdzisław

Evaluation of the estrogenic activity in ovarian tumors of the folliculoma type. Endocr. pol. 12 no. 6:648-661 '61.

1. I Klinika Położnictwa i Chorob Kobietych A.M. w Warszawie  
Kierownik: prof. dr T. Bilski.  
(OVARIES neopl) (GRANULOSA CELL TUMOR physiol)  
(ESTROGENS physiol)



BULSKI, Tadeusz; TETER, Jerzy; WASILEWSKA, Barbara

Virilizing tumor from ovarian hilus cells with adrenal characteristics. Ginek. pol. 34 no.2:265-273 '63.

1. Z I Kliniki Położnictwa i Chorob Kobietych AM w Warszawie  
Kierownik: prof. dr T. Bulski.  
(OVARIAN NEOPLASMS) (LEIOMYOMA) (VIRILISM)

STERNADEL, Zbigniew; TETER, Jerzy; WASILEWSKA, Barbara

Clinical aspects of ovarian tumors composed of granulosa cells.  
Ginek. Pol. 35 no.2:219-226 Mr-Apr '64.

1. Z I Kliniki Położnictwa i Chorób Kobietych Akademii Medycznej  
w Warszawie (Kierownik: Prof. dr. med. T. Bułski).

PONIATOWSKA, Teresa; WASILEWSKA, Barbara

Malignant mixed uterine tumors. Ginek. Pol. 36 no.3:341-350  
Mr '65.

1. Miejski Szpital Ginekologiczno-Położniczy w Warszawie  
(Dyrektor Szpitala: dr. med. B. Pawlak).

ZELAWSKI, Włodzimierz; WASILEWSKA, Danuta; KACZKOWSKI, Jerzy.

On the ferricyanide method of determining reducing sugars. Chem anal 6  
no.5:882-884 '61.

1. Katedra Fizjologii Roslin i Katedra Biochemii, Szkoła Główna Gospo-  
darstwa Wiejskiego, Warszawa.

ZWIERZ, Jozef; KONARSKA, Danuta; MEDRALA, Jozef; WASILEWSKA, Eleonora

A focus of swine leptospirosis as a source of human Weil's disease.  
Polski tygod. lek. 16 no.39:1496-1499 25 S '61.

1. Z Zakladu Badan nad Leptospiroza Instytutu Weterynaryjnego we  
Wroclawiu; kierownik: prof. dr Jozef Zwierz i z Oddzialu Zakaznego  
Szpitala Powiatowego w Glogowie; ordynator: dr med. Jozef Medrala.

(WEIL'S DISEASE trans) (SWINE dis)

ZWIERZ, Jozef; KARMANSKA, Krystyna; KONARSKA, Danuta; WASILEWSKA, Eleonora

Area irrigated with sewage. Its hygienic and sanitary evaluation.  
VI. Examination of the fauna from irradiated fields for the carriage  
of Leptospira during 1957-1959. Acta microbiol. pol. 10 no.4:447-  
456 '61.

1. Z Zakladu Badan nad Leptospiroza Instytutu Weterynarii we Wroclawiu.  
(SEWAGE microbiol) (LEPTOSPIRIA)  
(RODENTS microbiol)

*WASILEWSKA, HELENA*  
RAFALOWICZ, Adam.; Wasilewska, Helena.

Clinical observations on the course of cardiac defects during pregnancy, labor and delivery. Polski tygod. lek. 12 no.26:986-988  
24 June 57.

1. Z Oddzialow Wewnetrznych Centralnego Klinicznego Szpitala M. S. W.  
w Warszawie, ordynatorzy prof. dr. med. Stefan Kublick; i dr Zdzisław  
Krzywicki. Adres: Warszawa, ul. Wolowska; Cent. Kl. Szpit.

(CARDIOVASCULAR DEFECTS, CONGENITAL, in pregnancy,  
eff. on course of pregn., labor & delivery (Pol))

(PREGNANCY, complications,  
cardiovasc. defects, congen., eff. on course (Pol))

WASILEWSKA, H.  
RAFALOWICZ, Adam.; WASILEWSKA, Helena.

Observations on the clinical course of cardiac defects in pregnancy, labor, and delivery. Polski tygod. lek. 12 no.30:1146-1150 22 July 57.

1. Z Oddzialow Wewnetrznych Centralnego Szpitala M. S. W; ordynatorzy: prof. dr. med. S. Kubicki i dr. Z. Krzywicki. Adres: Warszawa, Inst. Gruzlicy Plocka 26.

(CARDIOVASCULAR DEFECTS, CONGENITAL, in pregnancy,

preg., labor & Delivery (Pol))

(PREGNANCY, in various diseases;

cardiovasc. defects, congen., pregn., labor & delivery (Pol))



*Wasilewska, Halina*

OWSINSKA, Izabella; WASILEWSKA, Halina

Value of association streptomycin and hydrazine therapy of cutaneous tuberculosis. Polski tygod. lek. 12 no. 45:1732-1736 11 Nov 57.

1. (Z Kliniki Dermatologicznej P. A. M. w Szczecinie; kierownik: doc. dr Henryk Prochacki). Otrzymano: 12.I.1957; adres: Szczecin, ul. Powstancow 72. Panstw. Szpital Kliniczny Nr 2, Klin. Dermatol.  
(TUBERCULOSIS, CUTANEOUS, therapy,  
isoniazid with streptomycin (Pol))

OWSINSKA, Izabela; WASILEWSKA, Halina

Behavior of the temperature curve in Jarisch-Herzheimer-Lukawicz reaction following the administration of penicillin in patients with early syphilis. Przegł.derm.,Warsz.46 no.4:363-370 J1-Ag '59.

1. Z Kliniki Dermatologicznej P.A.M. w Szczecinie. Kierownik:  
doc.dr. H. Prochacki.

(SYPHILIS ther.)

(PENICILLIN ther.)

[POLAND

KUBICKI, Stefan, WASILEWSKA, Helena, and NOWAKOWSKI, Artur;  
Division of Internal Diseases (Oddzial Chorob Wewnetrznych)  
(Director: Prof. Dr. med. Stefan KUBICKI) and Surgical  
Division (Oddzial Chirurgiczny) (Director: Dr. med. Edmund  
WISNIEWSKI) of the Central Clinical Hospital (Centralny Szpi-  
tal Kliniczny) MSW [Ministerstwo Szkolenia Wyzszygo, Minis-  
try of Higher Education] in Warsaw.

"Clinical Evaluation of 30 Cases of Gall Bladder Cancer."

Warsaw, Polski Tygodnik Lekarski, Vol 18, No 13, 25 Mar 63,  
pp 470-474.

Abstract: [Authors' English summary modified] An analysis  
of 30 cases of gall bladder cancer brought authors to the  
conclusion that "Early cholecystectomy" should be performed  
in patients suffering from cholelithiasis because of the  
frequently coexisting cancer and the fact that at present  
it is the only way to bring about improvement in these  
tumors, which have heretofore eluded treatment. There are  
ten (10) references, of which one (1) is Polish, and the  
other Western.

[1/1

KUBICKI, Stefan; LATALLO, Zbigniew; KACNER, Joanna; DOROBA, Krystyna;  
WASILEWSKA, Helena.

Evaluation of the antithrombin test and the starch tolerance  
test in the diagnosis of pancreatic diseases. Pol. tyg. lek.  
19 no.42:1593-1596 19 0 '64

1. Z Oddziału Chorob Wewnętrznych Centralnego Szpitala Kli-  
nicznego MSW w Warszawie (kierownik: prof. dr. med. Stefan  
Kubicki) i z Laboratorium Centralnego Szpitala Klinicznego  
MSW w Warszawie (kierownik: dr. farm. Mieczysław Trzaski).

WASILEWSKA, Irena; KREPSKA, Hanna

Separation of thiamine phosphate esters by the method of paper chromatography. Acta pol. pharm. 28 no.5:371-376 '61.

1. Z Instytutu Farmaceutycznego w Warszawie Dyrektor: dr P.Nantka-Namirski.

(VITAMIN: B1 rel cpds)

(CHROMATOGRAPHY)

ZWOLINSKA, Zofia; ZADUMINSKI, Marian[deceased]; WASILEWSKA, Irena;  
KROWCZYNSKI, Leszek

Effect of the quality of the raw material and of the method  
of preparation on the stability of aqueous solutions of  
thiamine HCl for injections. Acta pol. pharm. 20 no.4:339-344  
'63.

1. Z Zakladu Farmacji Stosowanej Instytutu Farmaceutycznego w  
Warszawie Kierownik: doc. dr L. Krowczynski.  
(THIAMINE) (CHEMISTRY, PHARMACEUTICAL)

ZADUMINSKI, Marian [deceased]; WASILEWSKA, Irena, KROWCZYNSKI, Leszek;  
KREPSKA, Hanna

Observation on the stability of cocarboxylase hydrochloride.  
Acta pol. pharm. 20 no.5:399-403 '63.

1. Z Instytutu Farmaceutycznego w Warszawie.

\*

BUCHOWICZ, J.; WASILEWSKA, Lidia D.; WITECKI, J.; REIFER, I.

The anabolic pathway of uracil in higher plants. Acta biochim. pol.  
10 no.1:67 '63.

1. Institute of Biochemistry and Biophysics, Polish Academy of Sciences,  
and Central College of Agriculture, Warszawa.

(NO SUBJECT HEADINGS)



WASILEWSKA, L.

*Tylenchus* (*Tylenchus*) *bieloghi* Andrassy, 1958 in Poland (Nematoda, Tylenchidae), Bull. acad. Pol. sci. (Biol) 13 no.3:163-165 '65.

1. Submitted November 11, 1964.

*Ditylenchus medicaginis* sp. n., a new parasitic nematode from Poland (Nematoda, Tylenchidae). Ibid.:167-170

1. Submitted December 1, 1964.

WASILEWSKA, L.

A new complexometric method for the determination of organic bases. Acta pol. pharm. 20 no.2:211-212 '63.

(CHEMISTRY, PHARMACEUTICAL) (PAPAVERINE)  
(CHLORPROMAZINE) (PROMETHAZINE)  
(IMIPRAMINE) (SUCCINYLCOLINE)

I 21911-66 EWT(m)/EPF(n)-2

ACC NR: AP6014465

SOURCE CODE: PO/0046/65/010/011/0661/0668

AUTHOR: Florkowski, Tadeusz--Flerkowski, T.; Koslars, Andrzej--Kosyara, A.;  
Wasilewska, Marta--Vasilevska, M. 47  
B

ORG: Nuclear Engineering Institute, AGH, Krakow (Instytut Techniki Jadrowej AGH)

TITLE: Comparison of radioisotope bremsstrahlung sources for excitation of the characteristic radiation in elements of  $Z$  less than or equal to 50

SOURCE: Nukleonika, v. 10, no. 11, 1965, 661-668

TOPIC TAGS: bremsstrahlung, radioisotope, titanium, zirconium, promethium, x ray

ABSTRACT: Results of measurements for the determination of the detection efficiency of the characteristic x rays of light elements excited by the three bremsstrahlung sources  $^3\text{H}/\text{Ti}$ ,  $^3\text{H}/\text{Zr}$  and  $^{147}\text{Pm}/\text{Al}$  are described. The detection of characteristic x rays of elements, which have the atomic number lower than 20 was performed in the hydrogen and helium atmosphere, what appreciably increases the total detection efficiency. The authors thank Prof.-Dr. L. Jurkiewicz for valuable advice and discussions on the carrying-out of the measurements as well as Dr. K. Ostrowski for discovery of the new type of proportional counter. Orig.art. has: 9 figures and 1 table. NA

SUB CODE: 18, 20 / SUBM DATE: 000064 / ORIG REF: 001 / OTH REF: 002

Card 1/1 MDS

BULSKI, Tadeusz; STERNADEL, Zdzislaw; TETER, Jerzy; WASILEWSKA, Teter

Folliculoma. Endokr. Pol. 13 no.2:199-207 '62.

1. I Klinika Położnictwa i Chorob Kobietych A. M. w W-wie Kierownik:  
prof. dr T. Bulski.

(GRANULOSA CELL TUMOR case reports)  
(OVARIES neopl)

WASILEWSKA, Wanda; PRIKHARA, Mariya [Pryhara, Mariia] [translator]

[Under the sky of China] Pid nebom Kytsiu. Kyiv, Radians'kyi  
pys'mennyk, 1956. 346 p. Translated from the Polish.

(MIRA 14:2)

(China--Description and travel)

LEDOCHOWSKI, Zygmunt; LEDOCHOWSKI, Andrzej; CHIMIAK, Andrzej; DUTKIEWICZ, Barbara; BOGUCKA, Maria; WISOCKA, Barbara; SOKOŁOWSKA, Teresa; WASIELEWSKI, Czesław; STEFANIAK, Lech

Research on tumor-inhibiting compounds. I. Synthesis of some N,N-dimethyl-1, n-diaminoalkanes. Roczniki chemii 33 no.6:1291-1298 '59.  
(EEAI 9:9)

1. Katedra Technologii Srodkow Leczniczych Politechniki, Gdansk i Pracownia Nr 8 Zakladu Syntezy Organicznej Polskiej Akademii Nauk Gdansk.

(Tumors) (Amino group) (Paraffins) (Methyl group)

WASILEWSKI, Gracjan

Heating of slide bearings. Przegl kolej mechan 15 no.8:245-246  
Ag'63

1. Central Car Management, Warsaw.

WASI LEWSKA, I

✓ Chromatography of alkaloids on filter paper. Z. Marja-  
 nowski, A. Bzymalska, and I. Wasilewska (Inst. Leków, War-  
 saw). *Acta Polon. Pharm.* 2, 85-84 (1956).—Filter-paper  
 chromatography was used to detect and classify alkaloids in  
 compounded medicines (5-10 γ). Use was made of What-  
 man filter papers Nos. 1, 40, or 41, a soln. A (25 BuOH:5  
 AcOH:12 H<sub>2</sub>O), soln. B (50 BuOH:10 HCl:19 H<sub>2</sub>O), and a  
 modified Dragendorff soln. for the development of the alka-  
 loid on the paper. The D soln. consisted of Bi nitrate  
 0.85 g., AcOH 10 ml., H<sub>2</sub>O 4 ml. mixed with KI 8 g., and  
 H<sub>2</sub>O 20 ml.; 10 ml. of this soln. was then dild. with 5 ml.  
 AcOH and 25 ml. H<sub>2</sub>O. The resulting R<sub>f</sub> values of the as-  
 cending chromatograms were found to be in soln. A: morphine 0.53-0.57, diosmine 0.70-0.72, papaverine 0.87,  
 heroine 0.77, cotarnine 0.70, narcotine 0.88, codeine 0.64-  
 0.66, eucodal 0.57; in soln. B: morphine 0.62-0.67, dio-  
 mine 0.83-0.87, heroine 0.71-0.84, papaverine 0.87-0.95,  
 narcotine 0.84-0.93, dicodine 0.71-0.77, codeine 0.72-0.75,  
 cotarnine 0.71, eucodal 0.68, paracodine 0.71. 35 refer-  
 ences.

L. J. Plotrowski

MA 28

(2)



CHRZANOWSKI, Jan; BODZINSKA, Irena; WASILEWSKA, Jadwiga

Utility of certain function tests in viral hepatitis. Polski  
tugod. lek. 15 no.18:669-672 2 My '60.

1. Z Kliniki Chorob Zakaznych A.M.w Lodzi, kierownik: doc. dr. med.  
Jan Chrzanowski.

(LIVER FUNCTION TESTS)

(HEPATITIS INFECTION)

WASILEWSKI, G; SZMIDT, K.

DAKO brakecontrol valves. p. 118.

PRZEGLAD KOLEJOWY MECHANICZNY. Warszawa, Poland, Vol. 10, no. 4, Apr. 1958.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, no. 9, September, 1959.  
Uncl.

SZMIDT, Kazimierz, inż.; WASILEWSKI, Gracjan, mgr inż.

Electropneumatically controlled brakes on the railroads in the  
U.S.S.R. Przegl kolej mechan 13 no.2:43-44, 53-55 F '61.

WASILEWSKI, Gracjan

Contemporary rolling stock of the railroads of the Soviet Union.  
Przegl kolej mechan 14 no.10:299-300, 310-311 0 '62.

1. Centralny Ośrodek Badań i Rozwoju Techniki Kolejowej, Zakład  
pojazdów szynowych, Warszawa.

TOURNELLE, Edmund; WASILEWSKI, Gracjan

The 2,5 T railroad scoop crane. Przegl kolej mechan 14 no.12:  
375-378 D '62.

1. Centralny Ośrodek Badań i Rozwoju Techniki Kolejnictwa, Warszawa.

WASILEWSKI, J.

"Planowanie w zakładach na prewy samochodów i stacjach obsługi"  
(Planning in repair plants of motor cars and service stations), by J. Wasilewski.  
Reported in New Books (Nowe Książki), No. 15, August 1, 1955

WASILEWSKI, Jerzy, mgr inż.

Catalytic oxidation of ethylene to ethylene oxide. Wiad  
chem 17 no.11:631-645 N°63.

1. Kierownik pracowni, Instytut Ciężkiej Syntezy Organicz-  
nej, Hłachownia Śląska.

WASILEWSKA, L.

MARGASINSKI, Z; SZYMANSKA, A.; WASILEWSKA, L.

Paper chromatography of alkaloids. Acta Poloniae Pharm. 12 no.2:  
65-84 1955.

1. Institut Lekow, Warszawa.  
(CHROMATOGRAPHY,  
of alkaloids)  
(ALKALOIDS, determination,  
chromatography)



WASILEWSKA, M.

PROCESSES AND PROPERTIES INDEX

The action of secondary amines on dibenzoyl disulfide. Ludwik Supel and Marja Wasilewska. Roczniki Chem. 16, 207-12 (1938) (French 212) (1938). The action of  $H_2S_2$  on the secondary amines gives benzamides. The most reactive are aliphatic amines; aromatic-aliphatic amines react only slowly and aromatic amines not at all.  $H_2S_2$  and  $NHPr_3$  give benzoyl dipropylamide b.p. 290-1°, b<sub>m</sub> 156-6.6°.  $I_2S_2$  and  $PhNHMe$  give benzoyl methylphenylamide, m. 57.5-58°. M. Wojciechowski

ASS-55A METALLURGICAL LITERATURE CLASSIFICATION

55 54 53 52 51 50 49 48 47 46 45 44 43 42 41 40 39 38 37 36 35 34 33 32 31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

POLAND/Chemical Technology. Chemical Products and Their  
Applications. Chemical Wood Products. Hydrolysis  
Industry.

II

Abs Jour: Ref Zhur-Khim., No 8, 1959, 29057.

Author: : Wasilewska, M. and Kruch, H.

Inst :

Title : Investigation of Changes Occurring in Woods Dried  
in Organic Liquids.

Orig Pub: Przemysl Drzewny, 2, No 8, 1-8 (1958) (in Polish)

Abstract: The rate of drying of the wood with the above  
process is determined by the rate of diffusion of  
the moisture from the inner layers of the wood to  
the surface; hence the process proceeds at a con-  
stantly changing rate. Toluene appears to be the

Card : 1/2

POLIM/Chemical Technology. Chemical Products and Their  
Applications. Chemical Wood Products. Hydrolysis  
Industry.

II

abs Jour: Ref Zhur-Khim., No 8, 1959, 29057.

most effective heat-transfer agent, compared to air,  
and the drying process proceeds faster in toluene  
vapor. This, however, has a negative effect on the  
quality of the dried product (the wood shows internal  
stresses and a nonuniform moisture distribution). The  
utilization of toluene is indicated for the drying  
of small-size wood. Drying in toluene vapor is most  
suitable for the predrying of very wet wood to a  
moisture content corresponding to the saturation mois-  
ture content of the fiber. -- Ye. Gurvich.

Card : 2/2

246

WASILEWSKA, Z.

Determination fo the quantity of dust, tar, and water in gas from gas producers.

Biuletyn. p.1.

(HUTNIK, Vol. 24, No. 1, Jan. 1957, Katowice, Poland,)

SO: Monthly List of East European Accessions (EEAL) Lc. Vol. 6, No. 10, October 1957. Uncl.

WASILEWSKI, A.

Pocket dosimeter signaling doses larger than 25 mr. p. 242

NUKLEONIKA. (Polska Akademia Nauk. Komitet do Spraw Pokojowego Wykorzystania  
Energii Jądrowej)  
Warszawa. Vol. 3, no. 2, 1958  
Poland/

Monthly List of East European Accessions Index (EEAI), LC, Vol. 8, no. 6, June 1959  
Uncl.

WASILEWSKA, Alina; OBRZUT, Ambrozy A.

Oscillometric index and intramuscular and surface temperature of the lower extremities in diabetic patients. Polski tygod.lek. 15 no.39;1486-1490 26 S '60.

1. Z II Kliniki Chorob Wewnętrznych A.M. im. J.Marchlewskiego w Białymstoku; kierownik: prof. dr med. J.Chlebowski i z I Klin. Chirurgicznej AMB.; kierownik: z-ca prof. dr med. F.Olenski  
(DIABETES MELLITUS physiol)  
(BODY TEMPERATURE)

WASILEWSKI, E.

"Kontrola produkcji w przemyśle cukierniczym" (Production control in the sugar industry), by E. Wasilewski. Reported in New Books (Nowe Książki), No. 15, August 1, 1955

Wasiłowski, E.

POLAND / Chemical Technology. Chemical Products and Their Application. Lacquers. Paints. Coatings. H

Abs Jour: Ref Zhur-Khimiya, No 9, 1959, 33407.

Author : Wasiłowski, E.

Inst : Not given.

Title : New Varnish Coatings for Ships.

Orig Pub: Budown. okrót., 1957, 2, No 12, 309.

Abstract: For the painting of ships, coatings (C) having a polyvinyl base are recommended in place of oil paints, which resist inadequately the action of acids, alkalis, and oxidizing agents. C consist of a layer of a two-componental chemically active priming, an intermediary layer of red lead combined with a polyvinyl derivative base and an upper layer of vinyl C of the required color.

Card 1/2

280



WASILEWSKI, G.

Change of methods of repairing freight cars.

P. 204. (PRZEGLAD KOLEJOWY MECHANICZNY) (Warszawa, Poland) Vol. 9, no. 7, July, 1957

SO: Monthly Index of East European Accession (EEAI) LC Vol. 7, No. 5, 1958

WASILEWSKI, J.

"A method of group analysis in planning; some experiences of groups analyzing plans for 1953" p. 4 (MOTORYZACJA, Vol. 8, no. 1, Jan. 1953, Warszawa, Poland)

SC: Monthly List of East European Accessions, Vol. 2, #8, Library of Congress  
August, 1953, Uncl.

WASILEWSKI, J.

"Planning the Production of the Technical Automobile Service." p. 41,  
(MOTORYZACJA, Vol. 9, No. 2, Feb. 1954. Warszawa, Poland.)

SO: Monthly List of East European Accessions, (EEAL), LC,  
Vol. 3, No. 12, Dec. 1954, Uncl.

WASILEWSKI, J.

New method of making openings in deposits for underground  
gasification of coal. Wiadom gorn 10 no. 5:169-172 My '59.

GASZTYCH, Dionizy; WASILEWSKI, Jerzy; KUBICA, Zofia

Obtaining of ethylene oxide by direct oxidation of ethylene.  
Przem chem 41 no.2:54-57 P '62.

1. Instytut Ciekłej Syntezy Organicznej, Blachownia Slaska

GASZTYCH, Dionizy; WASILEWSKI, Jerzy; KUBICA, Zofia

Preparation of ethylene oxide by direct oxidation of ethylene.  
Przem chem 41 no.2:54-57 F '62.

1. Instytut Ciezkiej Syntezy Organicznej, Blachownia Slaska.

WASILEWSKI, K.

5167. CRITICAL COMPARISON OF METHODS OF DETERMINING WORKABILITY OF COAL.  
 Wasilewski, K. (Prace Inst. Mech. Gorn. (Contr. Inst. Mech. Min., Poland), 1954, (7)). Three methods of determining workability are considered, namely the Protodyakonov method, the shot-hole drilling method, and Lyubimov's method of working the coal with a cutter tool. The conclusion is reached that it is often insufficient for practical purposes to determine only one relevant coefficient, such as Protodyakonov's strength coefficient. The shot-hole drilling method is also inadequate because the speed of drilling depends on the properties of the drilling tool. Lyubimov's method, which determines resistance to cutting, brittleness, and variations in resistance to cutting in time and magnitude, is regarded as a first step towards a unified and generally acceptable method of determining workability.  
 N.C.B.

WASILEWSKI, K.

"Making Sand-lime (silica) Bricks." p. 20, (BUDOWNICTWO WIEJSKIE, Vol. 5, no. 1, Jan./Feb. 1953, Warszawa, Poland)

SO: Monthly Lists of East European Accessions, LC, Vol. 3, no. 5, May 1954; Uncl.



WASILEWSKI, K.

"Foundations for farm buildings. (To be contd.)," Budownictwo Wiejskie, Warszawa, Vol 6, No 2, Mar./Apr. 1954, p. 16.

SO: Eastern European Accessions List, Vol 3, No 11, Nov 1954, L.C.

WASILEWSKI, K.

"Foundations for Farm Buildings. (To be contd.)", P. 24. (BUDOWNICTWO  
WIEJSKIE, Vol. 6, No. 3, May/June 1954, Warszawa, Poland)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4,  
No. 1, Jan. 1955, Uncl.

WACILEWSKI, K.

"Foundations for Farm Buildings", P. 12, (BUDOWNICTWO WIEJSKIE, Vol. 6, No. 6, Nov./Dec. 1954, Warsaw, Poland)

SO: Monthly List of East European Accessions (EEAL), LC, Vol. 4, No. 3, March 1955, Uncl.

WASILEWSKI, K.

"Technology of Painting", P. 249, (PRZEGLED BUDOWLANI, Vol. 24, No. 2,  
August 1954, Warsaw, Poland)

SO: Monthly List of East European Accessions (EEAL), LC, Vol. 4, No. 3,  
March 1955, Uncl.

WASILEWSKI, K.

For economical management of lumber in rural building. p.24  
(Budownictwo Wiejskie, Vol. 8, no. 2, Jan. 1956, Warsaw)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, no. 7, July 1957. Uncl.

WASILEWSKI K.

WASILEWSKI, K.

The problem of prefabrication in rural buildings.

P. 7 (Budownictwo Wiejskie) Vol. 7, No 4, July/Aug., 1955, Warszawa, Poland

SO: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) LC, VOL. 7, NO. 1, JAN. 1958

WASILEWSKI, Kazimierz

Mechanized plastering. Inst org 1 mechan bud prace 9 no.43:3-56 '61.

1ST AND 2ND EDITIONS										3RD AND 4TH EDITIONS									
PROCESSING AND PROPERTIES INDEX																			
<p><b>CA</b></p> <p><b>Application of chiolite to the electrolysis of alumina. 1. Fusion diagram of the system: alumina-cryolite-chiolite. L. WARSZYSKI AND S. MANTER. <i>Przemysl Chem.</i> 14, 25-31(1930).—The exptl. work was performed with com. materials. Melting temps. were measured on mixts. of alumina-chiolite, chiolite-cryolite and of the ternary mixt. Diagrams for the 3 binary systems and the ternary system have been constructed, and from them it is concluded that electrolysis can be conducted below 900° with the <math>Al_2O_3</math> content at 10-16%, and the chiolite: cryolite ratio between the limits 20:80 and 35:65. Electrolysis below 850° can be easily conducted with the <math>Al_2O_3</math> content at 11-16% and the chiolite: cryolite ratio at 32:68. Work with an exptl. 400-amp. electrolyzer shows that at proper c. d. electrolysis can be maintained with 6 v. at 850-900° with a yield of over 60%. This shows that chiolite is in no way inferior to fluorspar as a flux. Furthermore, no metal fog was observed. The final judgment on the value of chiolite can be passed only when specific gravities and elec. conds. of the molten mixts. are known.</b></p> <p style="text-align: right;"><b>A. C. ZACHLIN</b></p>																			
<p><b>ASM-AIA METALLURGICAL LITERATURE CLASSIFICATION:</b></p>																			
<p><b>1ST AND 2ND EDITIONS</b></p>										<p><b>3RD AND 4TH EDITIONS</b></p>									



CA

13

Researches on heat-insulating materials. LUDWIK WASILEWSKI AND MACIEJ MACZYNSKI. *Przemysł Chem.* 16, 73-83(1930).—The Pönnigen app. was modified in design to yield more accurate results. After a careful evaluation, the newly standardized app. was used for measuring the heat insulating properties of several (Polish) domestic insulating materials. Among others these coeffs. of heat cond. were found: cork pasted with casein 0.044; expanded cork 0.037; cork pasted with asphalt 0.037; diatomaceous brick 0.053; siliceo-asbestos mass 0.078; magnesite-asbestos mass 0.060; glass wool 0.030. Increase of heat cond. depends not only on the properties of the material itself but also on the size of its pores. A simple app. is described for making rapid rough measurements of the heat cond. of various materials.

A. C. ZACHIN

ASAC-354 METALLURGICAL LITERATURE CLASSIFICATION

1ST AND 2ND COLUMNS										3RD AND 4TH COLUMNS									
PROCESSES AND PROPERTIES INDEX																			
<p>Ammonium sulfate from gypsum. L. WAMLEWSKI, A. KACZOROWSKI AND S. ZARICKI. <i>Przemysl Chem.</i> 14, 150-8(1930). The manuf. of <math>(NH_4)_2SO_4</math> from gypsum, with a countercurrent <math>NH_3</math> system and a suspension of gypsum in <math>CO_2</math> and steam, was tried on a semi-plant scale. Under 2-3 atm. pressure the temp. in the app. was <math>14^\circ</math> to <math>120^\circ</math>. With a ratio of 18% <math>NH_3</math> to gypsum of 12 to 60, a 40% soln. of <math>(NH_4)_2SO_4</math> was obtained when the gypsum suspension passed the app. at the rate of 800 kg./day. The recovery of <math>SO_4</math> contained in the gypsum was 90.5-94.5%, and the <math>NH_3</math> loss could be brought down below 0.2%. The product was pure and contained only a small amt. of gypsum.</p> <p>A. C. ZACHLIN</p>																			
<p>ADDITIONAL LITERATURE CLASSIFICATION</p>																			

1ST AND 2ND LETTER																										3RD AND 4TH LETTER																										5TH AND 6TH LETTER																									
AUTHOR INDEX																										SUBJECT INDEX																										P. GROUPS																									
<p>Waskowski, L., and Zaleski, J. Z. ROTARY FURNACE FOR EXTRACTION OF ALUMINUM SALTS FROM CLAY. <i>Przemysl Chem.</i> 14, 181-88 (1937).—A rotary furnace for the continuous preparation by a modification of Rinman's method is described. A mixture consisting of 4 parts of ammonium sulfate to 1 part of alumina present in the clay is passed through a furnace, the distal three-fourths of which is maintained at 400°; where the time of passage of the reacting mass is 30 hr., 80% yields of alum are obtained, with only very small losses of ammonium sulfate. Higher temperatures cause decomposition of ammonium sulfate, but it is probable that prolongation of the duration of reaction would give practically theoretical yields. The emerging product (at about 95°) is at once placed in water, in which the alum dissolves, leaving a residue of silica, suitable for the preparation of water glass. The extract, on keeping, deposits fairly pure alum, the iron content of which is, after one recrystallization, 0.002% FeO; this degree of purity suffices for the preparation of pure aluminum.</p>																																																																													

1ST AND 2ND CODES										PROCESS AND PROPERTY INDEX										3RD AND 4TH CODES									
<div style="display: flex; justify-content: space-between;"> <span>Ca</span> <span>21</span> </div> <p>Present status of desulfurization of coke-oven gas. LUDWIG WANKLEWITZ, <i>Chem. Ber.</i> 14, 204-11 (1930).—This is a crit. review of 10 methods of desulfurizing coke-oven gas now in use or on trial in Germany. The method of Petit seems most promising. The Koppers method has not yet been sufficiently evaluated on factory scale but may prove profitable later on. The future progress seems to lie along the scheme of Rostin which, along with desulfurization, offers other valuable reactions between the components of coke-oven gas. A. C. ZACHLIN</p>																													
<div style="display: flex; justify-content: space-between;"> <div> <p>100000 1A</p> <p>100000 1B 1C 1D 1E 1F 1G 1H 1I 1J 1K 1L 1M 1N 1O 1P 1Q 1R 1S 1T 1U 1V 1W 1X 1Y 1Z</p> </div> <div> <p>100000 2A 2B 2C 2D 2E 2F 2G 2H 2I 2J 2K 2L 2M 2N 2O 2P 2Q 2R 2S 2T 2U 2V 2W 2X 2Y 2Z</p> </div> <div> <p>100000 3A 3B 3C 3D 3E 3F 3G 3H 3I 3J 3K 3L 3M 3N 3O 3P 3Q 3R 3S 3T 3U 3V 3W 3X 3Y 3Z</p> </div> </div>																													

**Loss of material and corrosion at apparatus during the evaporation of solutions of ammonium nitrate.** L. W. GAWRONSKI and W. BAWKOWSKI (Pracznia Chem., 1931, 18, 61-71, 83-86).—Solutions of ammonium nitrate evolve ammonia on concentration in glass vessels; this process is most intense about 140°, and ceases in slightly acid solution, so that no ammonia is lost if 0.5 g. of nitric acid per kg. of ammonium nitrate be added to the solution. In the presence of direct iron the distillate contains nine times as much ammonia as in its absence; at the same time fairly large quantities of nitric acid distil over, and part of the iron dissolves. As the quantity of added nitric acid is increased from 0 to 1.0 g. per kg. of 40% solution, loss of ammonia falls from 0.4049 to 0.0085 g.; loss of nitric acid at first falls from 0.3181 to 0.1576 g.; when 0.4304 g. of nitric acid was added, and then rises to 0.0644 g. when 1.067 g. of nitric acid were added; the corrosion of iron at first rises from 0.1883 to 0.3073 g. in presence of 0.4304 g. of nitric acid, and falls practically to zero in higher acid concentrations, pointing to passivation of iron, the product being in these cases colourless and free from iron. Addition of the solution by phosphoric acid (0.568 g.) gives better results than nitric acid; the loss of ammonia and nitric acid is half as great, and no corrosion takes place. Sulphuric acid, potassium hydrogen sulphate, trisodium phosphate, and calcium hydrogen phosphate are unsuitable; corrosion of iron and loss of ammonia occurring in all cases. As good results as with phosphoric acid are obtained by the addition of 50 c.c. of an aqueous extract of superphosphate (350 c.c. of water to 100 g. of superphosphate) to 1 kg. of 40% ammonium nitrate. Evaporation in the presence of acid-resistant metals ("Avete 883" and Krupp's "V2A" iron sheet) give better results in the presence of additional nitric or phosphoric acid. Evaporation in a cast-iron vessel gives unsatisfactory results when neutral solutions or solutions acidified with nitric acid are taken (considerable corrosion and loss of ammonia and nitric acid); in the presence of phosphoric acid or superphosphate extract containing 3% of sulphuric acid corrosion and loss of material are reduced to a minimum.

R. TRUSKOWSKI.

B-I-8

CA 9

1ST AND 2ND PAGES

PROCESSES AND PREPARATION INDEX

Material losses and corrosion of apparatus in the evaporation of solutions of ammonium nitrate. L. WASILEWSKI AND W. BADZYNSKI. *Przemysl Chem.* 15, 61-71; 83-05(1931).—Forty %  $\text{NH}_4\text{NO}_3$  soln. was evapd. under various conditions of container or contact material, pressure, temp. and acidity or alk. Losses of  $\text{NH}_3$  in glass app. can be eliminated by adding a certain small excess of  $\text{HNO}_3$ . Losses of  $\text{NH}_3$ ,  $\text{HNO}_3$  and corrosion of container metal (3% Avesta 862 and Krupp VA2) in contact with the soln. were studied in a set of similar tests in which the metal sheet was exposed to the soln. in the glass evap. flask. Excess of  $\text{HNO}_3$  cuts down the  $\text{NH}_3$  loss and corrosion of the metal, but of course increases the loss of  $\text{HNO}_3$ . This can be cheaply minimized by substituting  $\text{H}_3\text{PO}_4$ . Expts. were also performed on evapg. the soln. in cast Fe. Corrosion can be reduced very appreciably by adding  $\text{H}_3\text{PO}_4$  or a soln. of superphosphate contg.  $\text{H}_2\text{SO}_4$ . With 13.3 kg. superphosphate and 0.7 kg.  $\text{H}_2\text{SO}_4$  per 1000 kg.  $\text{NH}_4\text{NO}_3$ , a saving of 0.445 kg.  $\text{NH}_3$  and 1.215 kg.  $\text{HNO}_3$  is effected along with a saving of app. by the reduction of corrosion.

A. C. ZACHIN

COMMON ELEMENTS

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200

201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300

301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400

401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500

501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600

601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700

701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800

801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900

901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000

1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 1044 1045 1046 1047 1048 1049 1050 1051 1052 1053 1054 1055 1056 1057 1058 1059 1060 1061 1062 1063 1064 1065 1066 1067 1068 1069 1070 1071 1072 1073 1074 1075 1076 1077 1078 1079 1080 1081 1082 1083 1084 1085 1086 1087 1088 1089 1090 1091 1092 1093 1094 1095 1096 1097 1098 1099 1100

1101 1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 1113 1114 1115 1116 1117 1118 1119 1120 1121 1122 1123 1124 1125 1126 1127 1128 1129 1130 1131 1132 1133 1134 1135 1136 1137 1138 1139 1140 1141 1142 1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158 1159 1160 1161 1162 1163 1164 1165 1166 1167 1168 1169 1170 1171 1172 1173 1174 1175 1176 1177 1178 1179 1180 1181 1182 1183 1184 1185 1186 1187 1188 1189 1190 1191 1192 1193 1194 1195 1196 1197 1198 1199 1200

1201 1202 1203 1204 1205 1206 1207 1208 1209 1210 1211 1212 1213 1214 1215 1216 1217 1218 1219 1220 1221 1222 1223 1224 1225 1226 1227 1228 1229 1230 1231 1232 1233 1234 1235 1236 1237 1238 1239 1240 1241 1242 1243 1244 1245 1246 1247 1248 1249 1250 1251 1252 1253 1254 1255 1256 1257 1258 1259 1260 1261 1262 1263 1264 1265 1266 1267 1268 1269 1270 1271 1272 1273 1274 1275 1276 1277 1278 1279 1280 1281 1282 1283 1284 1285 1286 1287 1288 1289 1290 1291 1292 1293 1294 1295 1296 1297 1298 1299 1300

1301 1302 1303 1304 1305 1306 1307 1308 1309 1310 1311 1312 1313 1314 1315 1316 1317 1318 1319 1320 1321 1322 1323 1324 1325 1326 1327 1328 1329 1330 1331 1332 1333 1334 1335 1336 1337 1338 1339 1340 1341 1342 1343 1344 1345 1346 1347 1348 1349 1350 1351 1352 1353 1354 1355 1356 1357 1358 1359 1360 1361 1362 1363 1364 1365 1366 1367 1368 1369 1370 1371 1372 1373 1374 1375 1376 1377 1378 1379 1380 1381 1382 1383 1384 1385 1386 1387 1388 1389 1390 1391 1392 1393 1394 1395 1396 1397 1398 1399 1400

1401 1402 1403 1404 1405 1406 1407 1408 1409 1410 1411 1412 1413 1414 1415 1416 1417 1418 1419 1420 1421 1422 1423 1424 1425 1426 1427 1428 1429 1430 1431 1432 1433 1434 1435 1436 1437 1438 1439 1440 1441 1442 1443 1444 1445 1446 1447 1448 1449 1450 1451 1452 1453 1454 1455 1456 1457 1458 1459 1460 1461 1462 1463 1464 1465 1466 1467 1468 1469 1470 1471 1472 1473 1474 1475 1476 1477 1478 1479 1480 1481 1482 1483 1484 1485 1486 1487 1488 1489 1490 1491 1492 1493 1494 1495 1496 1497 1498 1499 1500

1501 1502 1503 1504 1505 1506 1507 1508 1509 1510 1511 1512 1513 1514 1515 1516 1517 1518 1519 1520 1521 1522 1523 1524 1525 1526 1527 1528 1529 1530 1531 1532 1533 1534 1535 1536 1537 1538 1539 1540 1541 1542 1543 1544 1545 1546 1547 1548 1549 1550 1551 1552 1553 1554 1555 1556 1557 1558 1559 1560 1561 1562 1563 1564 1565 1566 1567 1568 1569 1570 1571 1572 1573 1574 1575 1576 1577 1578 1579 1580 1581 1582 1583 1584 1585 1586 1587 1588 1589 1590 1591 1592 1593 1594 1595 1596 1597 1598 1599 1600

1601 1602 1603 1604 1605 1606 1607 1608 1609 1610 1611 1612 1613 1614 1615 1616 1617 1618 1619 1620 1621 1622 1623 1624 1625 1626 1627 1628 1629 1630 1631 1632 1633 1634 1635 1636 1637 1638 1639 1640 1641 1642 1643 1644 1645 1646 1647 1648 1649 1650 1651 1652 1653 1654 1655 1656 1657 1658 1659 1660 1661 1662 1663 1664 1665 1666 1667 1668 1669 1670 1671 1672 1673 1674 1675 1676 1677 1678 1679 1680 1681 1682 1683 1684 1685 1686 1687 1688 1689 1690 1691 1692 1693 1694 1695 1696 1697 1698 1699 1700

1701 1702 1703 1704 1705 1706 1707 1708 1709 1710 1711 1712 1713 1714 1715 1716 1717 1718 1719 1720 1721 1722 1723 1724 1725 1726 1727 1728 1729 1730 1731 1732 1733 1734 1735 1736 1737 1738 1739 1740 1741 1742 1743 1744 1745 1746 1747 1748 1749 1750 1751 1752 1753 1754 1755 1756 1757 1758 1759 1760 1761 1762 1763 1764 1765 1766 1767 1768 1769 1770 1771 1772 1773 1774 1775 1776 1777 1778 1779 1780 1781 1782 1783 1784 1785 1786 1787 1788 1789 1790 1791 1792 1793 1794 1795 1796 1797 1798 1799 1800

1801 1802 1803 1804 1805 1806 1807 1808 1809 1810 1811 1812 1813 1814 1815 1816 1817 1818 1819 1820 1821 1822 1823 1824 1825 1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869 1870 1871 1872 1873 1874 1875 1876 1877 1878 1879 1880 1881 1882 1883 1884 1885 1886 1887 1888 1889 1890 1891 1892 1893 1894 1895 1896 1897 1898 1899 1900

1901 1902 1903 1904 1905 1906 1907 1908 1909 1910 1911 1912 1913 1914 1915 1916 1917 1918 1919 1920 1921 1922 1923 1924 1925 1926 1927 1928 1929 1930 1931 1932 1933 1934 1935 1936 1937 1938 1939 1940 1941 1942 1943 1944 1945 1946 1947 1948 1949 1950 1951 1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000

2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100

2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200

2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300

2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400

2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500

2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530

CA

20

Application of a new method of laboratory testing of mixtures of stone, asphalt and tar. LUDWIK WAMLEKOWSKI AND MACIEJ MACZYNSKI. *Przemysl Chem.* 15, 124-30, 137-40 (1931).--A limestone of analytically defined properties and crushed to pass #1-20 mesh/sq. cm. served as a standard reference material. It was heated to 120° and mixed with the asphalt under test brought to the same temp. The mixt. was then briquetted hot (120°) into 60 g. samples with a pressure of 1370 kg./sq. cm. read on a precision manometer. This rather high pressure was needed to make a clear distinction between the character and behavior of different samples. A needle of 1.4-6 mm. diam. with a 45° point and somewhat similar to the needle of Vicat was made to penetrate slowly into the test briquet by the force of an applied wt. while the distance penetrated was recorded on a revolving drum. After a certain depth of penetration, characteristic of the bituminous binder, the briquet shattered or the needle simply completed the penetration of the rest of the briquet very rapidly. In either case showing a distinct break in the curve of time vs. distance penetrated. Although in a given series the rate of penetration varied widely the distance of penetration before failure of the briquet always occurred at the same depth. Numerically this might be expressed as the plastic strength of the material. By means of this app. it was possible to uncover differences in mixts. produced by the kind and proportion of stone and asphalt, and tar, to show the effect of the addn. of paraffin, and by changes sometimes produced at various trips.

A. C. ZACHLIN

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

FROM STATION

101003 WIT ONE 101

101003

101003 ONE ONE 101

1ST AND 2ND CODES																										3RD AND 4TH CODES																									
PROCESSING AND PROPERTIES INDEX																										MATERIAL INDEX																									
<p><i>ca</i></p> <p><b>Silicating limestones for road purposes.</b> LUDWIG WAGNER and KARLHEINRICH CLARKE. <i>Praxysl Chem.</i> 15, 56-64(1931).—This work was performed on stone of 10-30% porosity. The resistance of limestones to wearing and crushing is increased appreciably; in some cases the crushing strength was increased by 200 kg. per sq. cm. by silicating. Other properties such as hardness and insoly. improve similarly. Limestones with a porosity of 13-7% show the best improvement. The water glass used for these purposes should contain 10% dry substance; greater diln. only lead to very bad results. From the technical point of view there is no need of using water glass with the <math>\text{SiO}_2:\text{Na}_2\text{O}</math> ratio much greater than 3. Economic considerations may make it advisable to use a higher <math>\text{SiO}_2:\text{Na}_2\text{O}</math> ratio because the caustic is expensive in comparison with sand. Water glass with a ratio higher than 3 tends to hydrolyze; so <math>\text{SiO}_2</math> may sep. out on the surface of the limestone without entering its interior. In case of water glass with a higher ratio it is well to perform special expts. The correct proportion of water glass is not always the same. It depends on the amount which can be absorbed, e. g., 1 cu. m. crushed limestone with a porosity of 10% and 0.3 cu. m. fines required 62.5 kg. 35° B<math>\text{E}</math>. water glass. One cu. m. crushed limestone should be mixed with 0.3% fines. Such proportion is good for mechanical reasons and does not consume too much water glass. The mechanical strength of a mixt. of limestone fines with water glass is low and for this reason the formation of fines during the prepn. of surfacing should be avoided. The porosity of limestone from which the fines are made has a pronounced effect on the strength of the mixt. of fines with water glass, the smaller the porosity the greater the increase in strength. Certain impurities in limestone have a very detrimental effect on the product. Over 5% clay should not be tolerated. Sand, on the other hand, is not harmful. It is indicated that there is a possibility of producing water glass with a low water content (25%) to facilitate transportation. A special apparatus was worked out for producing such water glass. A. C. ZACHLIN</p>																										<p>20</p>																									
<p>ASB-3.3.A METALLURGICAL LITERATURE CLASSIFICATION</p>																										<p>RESEARCH DIVISION</p>																									